Li-ION



Compact, manoeuvrable, stable and efficient

P013i

Maximum efficiency with our Li-ion powered pallet truck delivering the higest level of safety, speed and productivity.










Fast and simple battery exchange, with safe and easy to use connectors.

Li-ion battery technology, can be charged anywhere so there is no necessity for a dedicated charging space.













Zero maintenance Li-ion technology, with no capacitylowering memory effects.

Reliable and wellengineered battery connectors.




Both the drive wheel and the castor wheels have safe foot protections as standard.



Easy long-side pallet handling. Twin fork wheels as standard, for reduced pressure on floors and easier and silent travel over uneven surfaces.






The rugged construction of the caster wheels and the 80 mm diameter don't fear loading boards or docks.






Faster drive speeds of 4.8 km per hour, and turtle speed when tiller arm is in vertical position.

Ergonomic butterfly switches for easy driving. Separated buttons for fast lifting and lowering. The standard PIN-pad prevents unauthorised use.







The CESAB P013i combines the comfort of a powered pallet truck with the flexibility and manoeuvrability of a hand pallet truck. This new entry model is the answer to light electric pallet truck applications. Powered by li-ion technology, it can handle loads up to 1300 kg.



Usable Effortless manoeuvrability



Ergonomic Designed for easy use



Compact Perfect in confined areas



Light Ideal on weight restricted floors



Authorised PIN code user access

Standard truck execution





User friendly, intuitive controls






High capacity Li-ion 24 V 36 Ah battery



Simple and fast changing in 2.5 hours





Horn switch

Closed cover design

Foot protection cover

1300 kg 600 mm 1530 mm 380 mm 540 mm 1330 mm 4.6/4.8 km/h 0.65 kW < 70 dB(A)

135 kg



for easy pallet handling



Butterfly drive switches Separated lift/lower buttons PIN code access LCD display Gas spring assisted tiller arm Driving with upright tiller arm Turtle speed mode Auto lock on slopes 210 mm polyurethane drive wheel Bogie fork wheels Climber wheels at fork nose Castor wheels with foot protection Easy accessible emergency switch Tiller arm safety button





www.cesab-forklifts.eu